




Paslode®

FNS1850





FNS1850

		A	= 247,5 mm
		B	= 248 mm
		C	= 54 mm
		kg	= 1,39 kg

	Max. = 8bar
	Min. = 5bar
0,66 L 7 bar /	
Ps MAX = 8 bar	

	L _{WA,1s}	= 90 dBA
	L _{PA,1s}	= 85 dBA
	L _{PA,1s,1m}	= 77 dBA
EN 12549 +En ISO 4871		
EN 12096 : 1997 ISO 8662-11	Vibration	= 1 m/s ²



Pasloide Staples KL6000	

Pasloide Brads Straight F18	




	Sequential trigger actuation/ Einzelauslösung/ enkelschots/ Déclenchement du tir - mode séquentiel/ Funcionamiento secuencial "en continuo"/ Gatilho de actuação sequencial/ funzionamento sequenziale (colpo a colpo)/ Enkeltskuds aftrækker/ Enkeltskott/ Enkeltskudds avtrekker/ Kertalaukaisu/ Úksiklasu meetodil töötamine/ Uruchomienie spustu sekwencyjne/ Sekvenčni spoušt/ Egyes lövés (szakaszosan működtetett elsütő billentyűvel)/ Posamezno proženje/ Kontaktirajte singl / Последовательная активация при нажатии на курок/ Sekvenčná aktivácia spúšte/ التشغيل بالتسلسل (المقيد) / Nuoseklusis paleidimo mechanizmas/ Sekvenciālās palaides iedarbināšana Raõkveikjuvirkjun
	Contact trigger actuation/ Kontaktauslösung/ repeterend schieten/ Déclenchement du tir - mode rafale/ Funcionamiento por contacto "clavo a clavo"/ Gatilho de actuação por contacto/ funzionamento a contatto/ Stødskydnings aftrækker/ Støtskjutning/ Støtspikrings avtrekker/ Kosketuslaukaisu/ Automaatmeetodil töötamine/ Uruchomienie spustu przez kontakt/ Kontaktní spoušt/ Sorozatilövés (folyamatosan behúzott elsütő billentyűvel)/ Kontaktno proženje/ Kontaktirajte pokretanje/ Контактная активация при нажатии на курок/ Kontaktná aktivácia spúšte/ التشغيل بتلامس الزر / Kontaktinis paleidimo mechanizmas/ Kontakta palaides iedarbināšana/ Snertikveikjuvirkjun

Model: FNS1850 Sequential
No. 505690




				
No. 014748	+ No. 505929	No. 014121		

Accessories










No. 151299 / No. 576216

0,5 l oil / 1 l oil












014 748












014 748









Resting position/ Ruheposition/ Position de repos/ Ruststand/ Posición de descanso/ Posizione di riposo/ Posição de descanso/ Pozycja spoczynku/ Klidová poloha/ Nyugalmi állapot/ Положение в нерабочем состоянии/ Θέση αδράνειας/ Hvilestilling/ Viloläge/ Hvileposisjon/ Lepoasento/ Položaj mirovanja/ Pokojová poloha/ Položaj mirovanja/ وضع السكون / Ramybės padėtis/ Ooteasend/ Miera stāvoklis/ Hvíldarstaða





ITW CONSTRUCTION PRODUCTS EUROPE
Code 505929 (05/2019)
www.spitpaslode.com